



Narrow Bezel 3.5mm

Moments Signage Solutions
Video Wall Display

55"
Direct LED Backlight
Full HD
500cd/m²

Signage Solutions

SYT-SDID5509-DL



Sunlight
Readable



Remote Control



Commercial
Grade



LED Backlight
Technology



24/7 Usage



High Definition
Display

LCD VIDEO WALL MONITOR

Create new stopping power with Ultra Narrow Bezel displays

Impress your audience with the most impactful video wall. With ultra narrow bezel and stunning picture quality, you are sure to create the most memorable visual experience

Optimized for public viewing

- Full HD LED technology for brilliant images
- IPS wide view technology for image and color accuracy
- Designed for 24/7 operation

Maximizing the impact of your message

- Immersive visual experience with Ultra Narrow Bezel
- Colour Calibration kit to ensure uniform colours

Innovative solutions for any signage application

- Optional OPS Insert to create an all-in-one solution

Care about you, your business and your audience

- SmartPower for energy saving
- Keep your content up and running with FailOver



Specifications

Screen

Model No.	SYT-SDID5509-DL
Panel Size	55" SAMSUNG LCD module
Backlight Type	WLED
Display Area	1209.6(H)x680.4(v)mm
Aspect Ratio	16:9
Physical Resolution	1920x1080 (FULL HD)
Color	16.7M
Brightness (nits)	500cd/m ²
Contrast	3500:1
Visual Angle (H/V)	178°/178°
Response Time	8 ms
Life Span(hours)	>60,000
Bezel width	3.5mm
Dimension	1213.4(L)x684.2(H)x133(D)
Weight	35KG

Controller Interface

Input	DVI (x1)
	HDMI (x1)
	VGA (x1)
	DP (x1)
	RS232(RJ45) x2
Output	DP (x1)
	RS232(RJ45) x2

Power

Power Supply	AC100V~240V 50/60Hz
Maximum Power Consumption	150W
Standby Power Consumption	<3W

Temperature

Working Temperature	0°C ~60°C
Working Humidity	5%-95%RH


Features



Multiple Superimposed
Image



Combination Display



Full Screen Display



Single Screen Display

Bracket Type



C Press-eject type

Input and output devices

